

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	701	257/776.ccls.	US-PGPUB; USPAT; USOCR
2	BRS	L2	2428	257/774.ccls.	US-PGPUB; USPAT; USOCR
3	BRS	L3	2175	257/72.ccls.	US-PGPUB; USPAT; USOCR
4	BRS	L4	1263	257/734.ccls.	US-PGPUB; USPAT; USOCR
5	BRS	L5	3407	257/758.ccls.	US-PGPUB; USPAT; USOCR
6	BRS	L6	0	L1 and conduct\$3 and (insulat\$3 or dielectric) and contact and (hole or via) and (pitch or spacing)	US-PGPUB; USPAT; USOCR
7	BRS	L7	0	L2 and conduct\$3 and (insulat\$3 or dielectric) and contact and (hole or via) and (pitch or spacing)	US-PGPUB; USPAT; USOCR
8	BRS	L8	0	L3 and conduct\$3 and (insulat\$3 or dielectric) and contact and (hole or via) and (pitch or spacing)	US-PGPUB; USPAT; USOCR

9	BRS	L9	1	L4 and conduct\$3 and (insulat\$3 or dielectric) and contact and (hole or via) and (pitch or spacing)	US-PGPUB; USPAT; USOCR
10	BRS	L10	0	L5 and conduct\$3 and (insulat\$3 or dielectric) and contact and (hole or via) and (pitch or spacing)	US-PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
11	BRS	L11	133	L1 and (conduct\$3 or metal) and (insulat\$3 or dielectric) and contact and (hole or via) and (pitch or spacing)	US-PGPUB; USPAT; USOCR
12	BRS	L12	486	L2 and (conduct\$3 or metal) and (insulat\$3 or dielectric) and contact and (hole or via) and (pitch or spacing)	US-PGPUB; USPAT; USOCR
13	BRS	L13	245	L3 and (conduct\$3 or metal) and (insulat\$3 or dielectric) and contact and (hole or via) and (pitch or spacing)	US-PGPUB; USPAT; USOCR
14	BRS	L14	196	L4 and (conduct\$3 or metal) and (insulat\$3 or dielectric) and contact and (hole or via) and (pitch or spacing)	US-PGPUB; USPAT; USOCR
15	BRS	L15	670	L5 and (conduct\$3 or metal) and (insulat\$3 or dielectric) and contact and (hole or via) and (pitch or spacing)	US-PGPUB; USPAT; USOCR
16	BRS	L19	84	L12 and edge and parallel and first and second	US-PGPUB; USPAT; USOCR
17	BRS	L20	112	L13 and edge and parallel and first and second	US-PGPUB; USPAT; USOCR
18	BRS	L22	115	L15 and edge and parallel and first and second	US-PGPUB; USPAT; USOCR

	Type	L #	Hits	Search Text	DBs
19	BRS	L17	63	((conduct\$3 or metal) and (insulat\$3 or dielectric) and contact and (hole or via) and (pitch or spacing) and first and second and edge and parallel).clm.	US-PGPUB
20	BRS	L18	49	L11 and edge and parallel and first and second	US-PGPUB; USPAT; USOCR
21	BRS	L21	57	L14 and edge and parallel and first and second	US-PGPUB; USPAT; USOCR
22	BRS	L16	53	L11 and edge and parallel	US-PGPUB; USPAT; USOCR